NSN 4720-00-187-4890

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-187-4890

view Offilite at https://defobasegroup.com/histi/4/20-00-10/-4030
Cross Sectional Shape:
Round
Thread Class:
2b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.250 inches
Tempurature Rating:
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response
Outside Diameter:
Between 0.367 inches and 0.406 inches
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Features Provided:
Electrostatic discharge capability
Burst Test Pressure:
6500.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
1500.0 pounds per square inch
Thread Size:
0.438 inches 1st end
Seat Angle:
37.0 degrees 1st end
Outer Covering Environmental Protection:
Heat resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:
101.625 inches working
Special Markings:
30 return manifold, 30b manifold a port 2 flow switch tee
Media For Which Designed:
Alcohol, ethyl single response and alcohol, methyl single response and fuel/oil, hydrocarbon single response and hydraulic fluid single
response and fuel/oil, hydrocarbon single response and water single response

Unf 1st end

Thread Series Designator:

NSN 4720-00-187-4890

Nonmetallic Hose Assembly - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0