NSN 4720-00-191-7440

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-191-7440	
Cross Sectional Shape:	
Round	
Thread Class:	
2b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.250 inches	
Tempurature Rating:	
-40.0 degrees fahrenheit single response and 300.0 degrees fahrenheit single response	
Outside Diameter:	
Between 0.469 inches and 0.531 inches	
Minimum Inside Bending Radius:	
2.500 inches	
Connection Style:	
Swivel nut flare 1st end	
End Connection Design:	
Straight 1st end	
End Fitting Component And Material:	
Body copper alloy 1st end	
Connection Type:	
Threaded internal tube 1st end	
Burst Test Pressure:	
1600.0 pounds per square inch	
Layer Composition And Location:	
Outer layer molded rubber, synthetic err-100	
Maximum Operating Pressure:	
400.0 pounds per square inch	
Thread Size:	
0.438 inches 1st end	
Seat Angle:	
37.0 degrees 1st end and 45.0 degrees 1st end	
Inside Surface Condition:	

Smooth

Measuring Method And Length:

29.000 inches

Extra Long Reference Number:

Za1ka04-04nlx04nl29withkfferrules

Thread Series Designator:

Unf 1st end

Reference Number Differentiating Characteristics:

As differentiated by extra long reference number

NSN 4720-00-191-7440

Nonmetallic Hose Assembly - Page 2 of 2



Shelf Life:	She	lf	Life:
-------------	-----	----	-------

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0