Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-202-5090

view Online at https://aerobasegroup.com/nsi/4720-00-202-3030
Cross Sectional Shape:
Round
Thread Class:
2b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.250 inches
Tempurature Rating:
-65.0 degrees fahrenheit and 160.0 degrees fahrenheit single response
Outside Diameter:
0.625 inches
Exterior Color:
Black
Connection Style:
Swivel nut, gas 2nd end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded internal tube 1st end
Burst Test Pressure:
15000.0 pounds per square inch
Layer Composition And Location:
2nd layer braided wire and outer layer rubber impregnated braided cotton cord and 1st layer braided wire
Maximum Operating Pressure:
2500.0 pounds per square inch
Thread Size:
0.908 inches 2nd end
Seat Angle:
37.0 degrees 1st end
Outer Covering Environmental Protection:
Oil resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:
49.000 inches
Seat Radius:
0.281 inches 2nd end
Media For Which Designed:
Air single response
Thread Series Designator:
Unf 1st end

NSN 4720-00-202-5090

Nonmetallic Hose Assembly - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0

