

View Online at <https://aerobasegroup.com/nsn/4720-00-202-6483>

Cross Sectional Shape:

Round

Thread Direction:

Right-hand 1st end

Inside Diameter:

1.000 inches

Temperature Rating:

212.0 degrees fahrenheit single response

Minimum Inside Bending Radius:

6.000 inches

Connection Style:

Swivel nut, gasket seal 1st end

End Connection Design:

Straight 2nd end

Connection Type:

Threaded internal hose 1st end

Features Provided:

Electrostatic discharge capability

Burst Test Pressure:

300.0 pounds per square inch

Layer Composition And Location:

1st layer helix corrosion resistant steel coil and 2nd layer rubber impregnated fabric and outer layer molded rubber, ethylene propylene

Thread Size:

1.000 inches 2nd end

Hydrostatic Test Pressure:

100.0 pounds per square inch

Outer Covering Environmental Protection:

Oil resistant and ozone resistant and weatherproof

Inside Surface Condition:

Smooth

Measuring Method And Length:

300.000 inches excluding end fittings

Special Features:

Female fitting with synthetic rubber washer and hexagon wrenching feature

Special Markings:

Water, suction

Media For Which Designed:

Water, fresh single response

Thread Series Designator:

Npsh 2nd end

Specification Data:

81348-zz-h-561 government specification

Specification Or Standard:

B grade and i class and a style

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0