NSN 4720-00-203-3920

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-203-3920

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.625 inches
Tempurature Rating:
-40.0 degrees fahrenheit single response
End Application:
Grumman a10 aircraft
Connection Style:
Swivel nut, gasket seal 1st end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded internal hose 1st end
Thready Qty Per Inch (tpi):
11-1/2 2nd end
Burst Test Pressure:
500.0 pounds per square inch
Layer Composition And Location:
First layer-cotton orsynthetic yarn, outer cover rubber, natural and synthetic or mixture of natural and synthetic
Maximum Operating Pressure:
125.0 pounds per square inch
Thread Size:
0.750 inches 2nd end
Hydrostatic Test Pressure:
150.0 pounds per square inch
Outer Covering Environmental Protection:
Abrasion resistant and age resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:
600.000 inches excluding end fittings
Media For Which Designed:
Water single response
Thread Series Designator:
Nh 2nd end
Specification Data:
81348-lh-520 government specification
Specification Or Standard:

1 class and 1 type

NSN 4720-00-203-3920

Nonmetallic Hose Assembly - Page 2 of 2



	Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0