NSN 4720-00-229-0658

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-229-0658
Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.500 inches
Tempurature Rating:
-40.0 degrees fahrenheit single response
Outside Diameter:
Between 0.875 inches and 0.937 inches
Connection Style:
Swivel nut, gasket seal 1st end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded internal pipe 1st end
Thready Qty Per Inch (tpi):
14 2nd end
Burst Test Pressure:
6000.0 pounds per square inch
Layer Composition And Location:
Outer layer molded polytetrafluoroethylene and 1st layer braided steel wire
Thread Size:
0.500 inches 2nd end
Hydrostatic Test Pressure:
1250.0 pounds per square inch
Outer Covering Environmental Protection:
Abrasion resistant and light resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:
15.000 inches
Media For Which Designed:
Oil, lubricating, diester base single response
Thread Series Designator:
Npt 1st end
Specification Data:
81349-mil-h-3868 government specification
Specification Or Standard:
2 type and 3 style and b grade

Shelf Life: N/a

NSN 4720-00-229-0658

Nonmetallic Hose Assembly - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A542a0