## NSN 4720-00-232-5708

Smooth

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-232-5708

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.375 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 250.0 degrees fahrenheit single response
Outside Diameter:
0.750 inches
Minimum Inside Bending Radius:
1.750 inches
Exterior Color:
Black
Hose Or Tubing Specification/std Data:
Sae j1402, type a standard (includes industry or association standards, individual manufactureer standards, etc.).
Connection Style:
Plain 1st end
End Connection Design:
Straight 1st end
End Fitting Component And Material:
Complete fitting steel all ends
Fitting Component And Surface Treatment:
Complete fitting cadmium and complete fitting zinc 1st end
Connection Type:
Threaded external pipe 1st end
Second End Relationship With First End:
Identical
Burst Test Pressure:
900.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
Outer layer molded rubber, chloroprene
Maximum Operating Pressure:
200.0 pounds per square inch
Unable To Decode:
Unable to decode or unable to decode
Thread Size:
0.250 inches 1st end
Inside Surface Condition:

## NSN 4720-00-232-5708

Nonmetallic Hose Assembly - Page 2 of 2



## Measuring Method And Length: 28.000 inches Special Features: Inner conveying tube material-rubber, synthetic Media For Which Designed: Air single response Thread Series Designator: Nptf 1st end Specification Data: Sae j1402, type a national std/spec Shelf Life: N/a Unit Of Measure: -- Demilitarization:

No Fiig: A542a0