Nonmetallic Hose Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-00-241-7660

-	
	ss Sectional Shape:
Rou	
	ead Direction:
	ht-hand 1st end
	ide Diameter:
0.37	75 inches
Out	side Diameter:
0.81	12 inches
Min	imum Inside Bending Radius:
5.00	00 inches
Con	nnection Style:
Plai	in 1st end
End	d Connection Design:
Stra	aight 1st end
Con	nnection Type:
Thre	eaded external pipe 1st end
Bur	st Test Pressure:
160	00.0 pounds per square inch
Lay	ver Composition And Location:
2nd	layer braided steel wire and outer layer molded rubber, synthetic and 1st layer braided steel wire
Мах	kimum Operating Pressure:
400	0.0 pounds per square inch
Thre	ead Size:
0.37	75 inches 1st end
Hyd	drostatic Test Pressure:
800	0.0 pounds per square inch
Insi	ide Surface Condition:
Smo	ooth
Меа	asuring Method And Length:
120	0.000 inches
Mec	dia For Which Designed:
Fue	l/oil, hydrocarbon single response
Thre	ead Series Designator:
Npt	1st end
She	elf Life:
N/a	
Unit	t Of Measure:
Den	nilitarization:
No	
Fiig	<b>j</b> :
A54	2a0