NSN 4720-00-248-3886



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-00-248-3886 **Cross Sectional Shape:** Round **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.500 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response **Outside Diameter:** 0.906 inches **Minimum Inside Bending Radius:** 7.000 inches **Connection Style:** Inverted flare 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded external pipe 1st end **Burst Test Pressure:** 8000.0 pounds per square inch **Layer Composition And Location:** Outer layer molded rubber, synthetic and 1st layer braided wire **Maximum Operating Pressure:** 2000.0 pounds per square inch **Thread Size:** 0.500 inches 1st end Seat Angle: 30.0 degrees 1st end **Hydrostatic Test Pressure:** 4000.0 pounds per square inch **Inside Surface Condition:** Smooth **Measuring Method And Length:** 23.500 inches Media For Which Designed: Fuel/oil, hydrocarbon single response **Thread Series Designator:** Npt 1st end Shelf Life:

__

N/a

Unit Of Measure:

NSN 4720-00-248-3886

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0