NSN 4720-00-252-1097

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-252-1097

Cross Sectional Shape:
Round
Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.440 inches
Tempurature Rating:
-65.0 degrees fahrenheit and 450.0 degrees fahrenheit single response
Outside Diameter:
0.800 inches
Minimum Inside Bending Radius:
8.000 inches
Connection Style:
Plain 1st end
End Connection Design:
Straight 1st end
Features Provided:
Electrostatic discharge capability
Thready Qty Per Inch (tpi):
12 1st end
Layer Composition And Location:
2nd layer spirally laid corrosion resistant steel wire and outer layer braided corrosion resistant steel wire and 1st layer braided corrosion
resistant steel wire
Maximum Operating Pressure:
4500.0 pounds per square inch
Thread Size:
1.750 inches 1st end
Hydrostatic Test Pressure:
9000.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:
42.000 inches
Thread Series Designator:
Un 1st end
Reference Number Differentiating Characteristics:
Quality control in accordance with navships 0948-045-7010 material identification and control instruction for level 1 items
Shelf Life:
N/a

-

Unit Of Measure:

NSN 4720-00-252-1097

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0