NSN 4720-00-253-5928

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-253-5928

Cross Sectional Shape:
Round
Inside Diameter:
Between 0.367 inches and 0.398 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response
Outside Diameter:
Between 0.719 inches and 0.781 inches
Minimum Inside Bending Radius:
4.000 inches
Exterior Color:
Black
Connection Style:
Gladhand 1st end
End Fitting Component And Material:
Complete fitting steel all ends
Connection Type:
Glad hand quick disconnect 1st end
Second End Relationship With First End:
Identical
Burst Test Pressure:
900.0 pounds per square inch
Layer Composition And Location:
Outer layer molded rubber, chloroprene
Maximum Operating Pressure:
200.0 pounds per square inch
Hydrostatic Test Pressure:
400.0 pounds per square inch
Outer Covering Environmental Protection:
Oil resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:
118.500 inches
Special Features:
Inner conveying tube material-rubber, synthetic
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Shelf Life:
N/a
Unit Of Measure:

--

NSN 4720-00-253-5928

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0