NSN 4720-00-255-5741

Nonmetallic Hose Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-00-255-5741

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
Between 0.367 inches and 0.398 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 250.0 degrees fahrenheit single response
Outside Diameter:
Between 0.721 inches and 0.781 inches
Minimum Inside Bending Radius:
5.000 inches
Connection Style:
Inverted flare 2nd end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded external pipe 2nd end
Burst Test Pressure:
16000.0 pounds per square inch
Layer Composition And Location:
2nd layer braided wire and outer layer molded rubber, synthetic and 1st layer braided wire
Maximum Operating Pressure:
4000.0 pounds per square inch
Thread Size:
0.375 inches 2nd end
Seat Angle:
30.0 degrees 2nd end
Inside Surface Condition:
Smooth
Measuring Method And Length:
78.000 inches
Thread Series Designator:
Npt 1st end
Shelf Life:
N/a
Unit Of Measure:
<u>-</u>
Demilitarization:
No
Fiig:
A542a0