Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-272-9955

Cross Sectional Shape: Round **Thread Direction:** Right-hand 1st end **Inside Diameter:** 1.500 inches **Outside Diameter:** 2.125 inches **Exterior Color:** Black Hose Or Tubing Specification/std Data: Mil mil-h-370, type 2, size 5 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Connection Style:** Swivel nut, gasket seal 1st end **End Connection Design:** Straight 1st end End Fitting Component And Material: Complete fitting copper alloy all ends **Connection Type:** Threaded internal hose 1st end Second End Relationship With First End: Identical **Burst Test Pressure:** 500.0 pounds per square inch First End Swivel Action Capability: Not included Layer Composition And Location: Outer layer molded rubber, synthetic **Thread Size:** 1.500 inches 1st end **Hydrostatic Test Pressure:** 150.0 pounds per square inch **Outer Covering Environmental Protection:** Oil resistant and ozone resistant and fuel resistant Inside Surface Condition: Smooth **Measuring Method And Length:** 300.000 inches excluding end fittings **Special Features:** Inner conveying tube material-rubber, synthetic

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Nonmetallic Hose Assembly - Page 2 of 2



Thread Series Designator:

Npsh 1st end

Specification Data:

Mil mil-h-370, type 2, size 5 professional/industrial association specification and 81349-mil-h-370 government specification

Specification Or Standard:

5 size and 2 type

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0