NSN 4720-00-278-4892

Nonmetallic Hose - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-00-278-4892

Cross Sectional Shape: Round Inside Diameter: 0.375 inches Tempurature Rating: -67.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response Outside Diameter: Between 0.594 inches and 0.656 inches Minimum Inside Bending Radius: 3.000 inches Exterior Color: Black
Inside Diameter: 0.375 inches Tempurature Rating: -67.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response Outside Diameter: Between 0.594 inches and 0.656 inches Minimum Inside Bending Radius: 3.000 inches Exterior Color: Black
0.375 inches Tempurature Rating: -67.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response Outside Diameter: Between 0.594 inches and 0.656 inches Minimum Inside Bending Radius: 3.000 inches Exterior Color: Black
Tempurature Rating: -67.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response Outside Diameter: Between 0.594 inches and 0.656 inches Minimum Inside Bending Radius: 3.000 inches Exterior Color: Black
-67.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response Outside Diameter: Between 0.594 inches and 0.656 inches Minimum Inside Bending Radius: 3.000 inches Exterior Color: Black
Outside Diameter: Between 0.594 inches and 0.656 inches Minimum Inside Bending Radius: 3.000 inches Exterior Color: Black
Between 0.594 inches and 0.656 inches Minimum Inside Bending Radius: 3.000 inches Exterior Color: Black
Minimum Inside Bending Radius: 3.000 inches Exterior Color: Black
3.000 inches Exterior Color: Black
Exterior Color: Black
Black
Burst Test Pressure:
1000.0 pounds per square inch single response
Layer Composition And Location:
Outer layer molded rubber, synthetic err-100
Maximum Operating Pressure:
250.0 pounds per square inch single response
Hydrostatic Test Pressure:
500.0 pounds per square inch single response
Outer Covering Environmental Protection:
Oil resistant and grease resistant and abrasion resistant and ozone resistant
Vacuum In Torr:
508.0
Inside Surface Condition:
Smooth
Material:
Rubber butadiene-acrylonitrile class nbr tube
Specification Data:
81349-mil-h-13444 government specification
Specification Or Standard:
6 size and 1 type
Shelf Life:
N/a
Unit Of Measure:
<u></u>
Demilitarization:
No
Fiig:
A541z0
Mil-std (military Standard):

Mil-h-13444 spec.