Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-289-1910

Cross Sectional Shana
Cross Sectional Shape: Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.750 inches
Tempurature Rating:
-32.0 degrees celsius and 52.0 degrees celsius single response
Outside Diameter:
1.375 inches
Connection Style:
Plain 1st end
End Connection Design:
Straight 1st end
Fitting Component And Surface Treatment:
Complete fitting cadmium 1st end
Connection Type:
Threaded external pipe 1st end
Features Provided:
Electrostatic discharge capability
Second End Relationship With First End:
Identical
Burst Test Pressure:
500.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
1st layer rubber impregnated fabric
Unable To Decode:
Unable to decode or unable to decode
Thread Size:
0.750 inches 1st end
Hydrostatic Test Pressure:
150.0 pounds per square inch
Outer Covering Environmental Protection:
Fuel resistant and oil resistant and mildew resistant and abrasion resistant and light resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:
180.000 inches excluding end fittings
Special Features:
Inner conveying tube material-rubber, buna-n

NSN 4720-00-289-1910

Nonmetallic Hose Assembly - Page 2 of 2



Thread Series Designator:

Npt 1st end

Specification Data:

81349-mil-h-370 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0