

View Online at <https://aerobasegroup.com/nsn/4720-00-289-4253>

**Cross Sectional Shape:**

Round

**Thread Class:**

3b 1st end

**Thread Direction:**

Right-hand 1st end

**Inside Diameter:**

0.188 inches

**Outside Diameter:**

0.437 inches

**Unable To Decode:**

Unable to decode or unable to decode

**Exterior Color:**

Green

**First End Fitting Specification/std Data:**

Mil ms15011, pc. No. 4 and pc. No. 5 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Connection Style:**

Swivel nut, gas 1st end

**End Connection Design:**

Straight 1st end

**End Fitting Component And Material:**

Complete fitting copper alloy all ends

**Connection Type:**

Threaded internal tube 1st end

**Thready Qty Per Inch (tpi):**

18 1st end

**Second End Relationship With First End:**

Identical

**Burst Test Pressure:**

600.0 pounds per square inch

**First End Swivel Action Capability:**

Not included

**Layer Composition And Location:**

Outer layer molded rubber

**Thread Size:**

0.562 inches 1st end

**Hydrostatic Test Pressure:**

250.0 pounds per square inch

**Inside Surface Condition:**

Smooth

**Measuring Method And Length:**

600.000 inches excluding end fittings

**Seat Radius:**

0.196 inches 1st end

**Special Features:**

Inner conveying tube material-rubber, buna-n or chloroprene

**Special Markings:**

Oxygen

**Media For Which Designed:**

Oxygen, gaseous single response

**Thread Series Designator:**

Unf 1st end

**Specification Data:**

Mil ms15011, pc. No. 4 and pc. No. 5 national std/spec

**Specification Or Standard:**

Yle a style

**Departure From Cited Document:**

As modified by material

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A542a0