NSN 4720-00-289-7987

Cross Sectional Shape:

Thread Direction:
Right-hand 1st end
Inside Diameter:
0.750 inches

Round

Smooth

Measuring Method And Length: 240.000 inches excluding end fittings

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-289-7987

| Tempurature Rating: |
|---|
| 388.0 degrees fahrenheit single response |
| Outside Diameter: |
| 1.375 inches |
| Unable To Decode: |
| Unable to decode or unable to decode |
| Connection Style: |
| Plain optional end 1st end |
| End Connection Design: |
| Straight 2nd end |
| End Fitting Component And Material: |
| Nut steel all ends |
| Fitting Component And Surface Treatment: |
| Nipple cadmium 1st end |
| Connection Type: |
| Threaded internal pipe 1st end |
| Thready Qty Per Inch (tpi): |
| 14 2nd end |
| Second End Relationship With First End: |
| Not identical |
| Burst Test Pressure: |
| 2000.0 pounds per square inch |
| First End Swivel Action Capability: |
| Not included |
| Layer Composition And Location: |
| 1st layer rubber impregnated braided steel wire |
| Maximum Operating Pressure: |
| 200.0 pounds per square inch |
| Thread Size: |
| 0.750 inches 2nd end |
| Hydrostatic Test Pressure: |
| 1250.0 pounds per square inch |
| Inside Surface Condition: |

NSN 4720-00-289-7987

Nonmetallic Hose Assembly - Page 2 of 2



Second End Swivel Action Capability: Not included Special Features: Inner conveying tube material-rubber, natural or synthetic Media For Which Designed: Steam single response Thread Series Designator: Npt 1st end Departure From Cited Document: As modified by material Shelf Life: N/a Unit Of Measure: -- Demilitarization: No

Fiig: A542a0