NSN 4720-00-289-7988

Cross Sectional Shape:

Thread Direction:
Right-hand 1st end
Inside Diameter:
1.000 inches

Round

Smooth

Measuring Method And Length: 300.000 inches excluding end fittings

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-289-7988

Tempurature Rating:
388.0 degrees fahrenheit single response
Outside Diameter:
1.625 inches
Unable To Decode:
Unable to decode or unable to decode
Connection Style:
Plain optional end 1st end
End Connection Design:
Straight 2nd end
End Fitting Component And Material:
Nut steel all ends
Fitting Component And Surface Treatment:
Nipple cadmium 1st end
Connection Type:
Threaded internal pipe 1st end
Thready Qty Per Inch (tpi):
11-1/2 2nd end
Second End Relationship With First End:
Not identical
Burst Test Pressure:
2000.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
1st layer rubber impregnated braided steel wire
Maximum Operating Pressure:
200.0 pounds per square inch
Thread Size:
1.000 inches 2nd end
Hydrostatic Test Pressure:
1250.0 pounds per square inch
Inside Surface Condition:

NSN 4720-00-289-7988

Nonmetallic Hose Assembly - Page 2 of 2



Second End Swivel Action Capability: Not included Special Features: Inner conveying tube material-rubber, natural or synthetic Media For Which Designed: Steam single response Thread Series Designator: Npt 1st end Departure From Cited Document: As modified by material Shelf Life: N/a Unit Of Measure: -- Demilitarization:

No Fiig: A542a0