NSN 4720-00-303-4995

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-303-4995

Cross Sectional Shape:
Round
Thread Class:
2b 2nd end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.250 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response
Outside Diameter:
0.500 inches
Minimum Inside Bending Radius:
2.000 inches
Exterior Color:
Black
Connection Style:
Swivel nut flare 2nd end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded internal tube 2nd end
Burst Test Pressure:
400.0 pounds per square inch
Layer Composition And Location:
Outer layer molded rubber, chloroprene and 1st layer molded rubber, synthetic
Maximum Operating Pressure:
100.0 pounds per square inch
Thread Size:
0.438 inches 1st end
Seat Angle:
45.0 degrees 2nd end
Hydrostatic Test Pressure:
200.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:
144.000 inches excluding end fittings
Special Features:
Each fitting secured to hose body mender and 2 extra hose clamps
Thread Series Designator:

Unf 2nd end

NSN 4720-00-303-4995

Nonmetallic Hose Assembly - Page 2 of 2



Specification Data	Spe	ecifica	ition	Data:
--------------------	-----	---------	-------	-------

81349-mil-h-10868 government specification

Specification Or Standard:

2 length

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0