Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-315-0526

	Cross Sectional Shape:
	Round
	Thread Class:
	2b 1st end
	Thread Direction:
	Right-hand 1st end
	Inside Diameter:
	0.312 inches
	Tempurature Rating:
	-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response
	Outside Diameter:
	Between 0.500 inches and 0.531 inches
	Connection Style:
	Swivel nut flare 1st end
	End Connection Design:
	Straight 2nd end
	Connection Type:
	Threaded internal tube 1st end
	Features Provided:
	Electrostatic discharge capability
	Burst Test Pressure:
	1200.0 pounds per square inch
	Seat Angle:
	45.0 degrees 1st end
	Hydrostatic Test Pressure:
	600.0 pounds per square inch
	Outer Covering Environmental Protection:
	Fuel resistant and oil resistant and water resistant
	Vacuum In Torr:
	254.0
	Inside Surface Condition:
	Smooth
	Measuring Method And Length:
	28.250 inches
	Special Features:
	Furnished w/malepipe elbow, 1/8-27 not rh thd; layer composition and location 1st layer braided steel wire outer cover, laquer impregnated
	braided cotton
	Media For Which Designed:
	Fuel/oil, hydrocarbon single response
	Shelf Life:
1	N/a

N/a

- Unit Of Measure:
- ---

NSN 4720-00-315-0526

Nonmetallic Hose Assembly - Page 2 of 2

Demilitarization:

No

Fiig:

A542a0

