NSN 4720-00-351-7453

50.8

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-351-7453

Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
1.375 inches
Tempurature Rating: -40.0 degrees fahrenheit and 300.0 degrees fahrenheit single response
Outside Diameter:
1.750 inches
Minimum Inside Bending Radius:
10.500 inches
Exterior Color:
Black
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 2nd end Connection Type:
Connection Type: Three ded interval type 4ct and
Threaded internal tube 1st end
Features Provided:
Reusable end fittings There he Ote Part to the (tell)
Thready Qty Per Inch (tpi):
12 1st end
Burst Test Pressure:
2000.0 pounds per square inch
Layer Composition And Location:
2nd layer braided corrosion resistant steel wire and 1st layer braided textile yarn and outer layer rubber impregnated braided fabric
Maximum Operating Pressure:
500.0 pounds per square inch
Thread Size:
1.875 inches 1st end
Seat Angle:
37.0 degrees 1st end
Hydrostatic Test Pressure:
1000.0 pounds per square inch
Outer Covering Environmental Protection:
Oil resistant
Vacuum In Torr:

NSN 4720-00-351-7453

A542a0

Nonmetallic Hose Assembly - Page 2 of 2



nside Surface Condition:
Smooth
Measuring Method And Length:
30.375 inches
Media For Which Designed:
Air and fuel/oil, hydrocarbon and hydraulic fluid and fuel/oil, hydrocarbon and water single response
Thread Series Designator:
Jn 1st end
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig: