## NSN 4720-00-356-8571

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-356-8571

Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Left-hand 1st end
Inside Diameter:
0.250 inches
Tempurature Rating:
-20.0 degrees fahrenheit and 80.0 degrees fahrenheit single response
Outside Diameter:
0.594 inches
Exterior Color:
Red
End Application:
2320-01-097-0248, 2320-01-097-0249, 2320-01-100-7672, 2320-01-097-0260, 2320-01-195-7641, hemtt family (heavy expanded mobility
tactical trucks)
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Burst Test Pressure:
700.0 pounds per square inch
Layer Composition And Location:
Outer layer molded rubber and 1st layer rubber impregnated braided cotton cord
Thread Size:
0.562 inches 1st end
Seat Angle:
30.0 degrees 1st end
Hydrostatic Test Pressure:
250.0 pounds per square inch
Outer Covering Environmental Protection:
Light resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:
300.000 inches excluding end fittings
Special Markings:

Acetylene and hydrogen single response

Media For Which Designed:

Acet-hyd

## NSN 4720-00-356-8571

Nonmetallic Hose Assembly - Page 2 of 2



Thread Series Designator:
Unf 1st end
Specification Data:
81348-zz-h-461 government specification
Specification Or Standard:
A style
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A542a0