

View Online at <https://aerobasegroup.com/nsn/4720-00-363-4390>

**Cross Sectional Shape:**

Round

**Thread Class:**

2b and 2a 1st end

**Thread Direction:**

Right-hand and right-hand 1st end

**Inside Diameter:**

0.125 inches

**Temperature Rating:**

-565.0 degrees fahrenheit single response

**Outside Diameter:**

0.438 inches

**Hose Or Tubing Specification/std Data:**

Sae j1401-81343 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Connection Style:**

Inverted flare 1st end

**End Connection Design:**

Straight 1st end

**End Fitting Component And Material:**

Complete fitting steel all ends

**Connection Type:**

Threaded internal and external tube 1st end

**Second End Relationship With First End:**

Not identical

**First End Swivel Action Capability:**

Not included

**Layer Composition And Location:**

Outer layer molded rubber, synthetic

**Maximum Operating Pressure:**

1000.0 pounds per square inch

**Thread Size:**

0.375 inches and 0.625 inches 1st end

**Outer Covering Environmental Protection:**

Cold resistant and ozone resistant and water resistant and salt water resistant

**Inside Surface Condition:**

Smooth

**Measuring Method And Length:**

22.750 inches working

**Special Features:**

Inner conveying tube material-rubber; w/mtg bracket in center of hole and 2nd end is a banjo type fitting with 7/16 in. Dia. Hole, unthreaded, 9/16 in. Thick 13/16in. Square

**Media For Which Designed:**

Hydraulic fluid single response

**Thread Series Designator:**

Unf and unf 1st end

**Specification Data:**

Sae j1401-81343 national std/spec

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A542a0