## NSN 4720-00-373-4966

Air Duct Hose - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-00-373-4966

Cross Sectional Shape: Round Wall Thickness: 0.062 inches Inside Diameter: 1.250 inches first end Minimum Inside Bending Radius: 1.250 inches Endlength: 1.500 inches both ends Connection Style: Round both ends
Wall Thickness:  0.062 inches Inside Diameter:  1.250 inches first end Minimum Inside Bending Radius:  1.250 inches Endlength:  1.500 inches both ends Connection Style:
0.062 inches Inside Diameter: 1.250 inches first end Minimum Inside Bending Radius: 1.250 inches Endlength: 1.500 inches both ends Connection Style:
Inside Diameter: 1.250 inches first end Minimum Inside Bending Radius: 1.250 inches Endlength: 1.500 inches both ends Connection Style:
1.250 inches first end  Minimum Inside Bending Radius: 1.250 inches  Endlength: 1.500 inches both ends  Connection Style:
Minimum Inside Bending Radius: 1.250 inches Endlength: 1.500 inches both ends Connection Style:
1.250 inches  Endlength: 1.500 inches both ends  Connection Style:
Endlength: 1.500 inches both ends Connection Style:
1.500 inches both ends  Connection Style:
Connection Style:
•
Round both ends
Connection Type:
Soft both ends
End Inside Diameter:
1.250 inches both ends
Maximum Operating Pressure:
16.0 pounds per square inch
Measuring Method And Length:
6.500 inches
Material:
Stainless steel reinforcing wire
Style Designator:
Helically wound continous wire supported
Specification Data:
81349-mil-h-8796 government specification
Specification Or Standard:
2 class and 2 type
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A229a0
Mil-std (military Standard):