NSN 4720-00-374-2221

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-374-2221

Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.250 inches
Tempurature Rating:
65.0 degrees fahrenheit and 212.0 degrees fahrenheit single response
Outside Diameter:
0.562 inches
Connection Style:
Inverted flare 1st end
End Connection Design:
Straight 1st end
End Fitting Component And Material:
Complete fitting steel all ends
Fitting Component And Surface Treatment:
Complete fitting cadmium 1st end
Connection Type:
Threaded internal tube 1st end
Thready Qty Per Inch (tpi):
20 1st end
Second End Relationship With First End:
Identical
Burst Test Pressure:
4500.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
Outer layer molded rubber
Maximum Operating Pressure:
1125.0 pounds per square inch
Thread Size:
0.500 inches 1st end
Seat Angle:
42.0 degrees 1st end
Hydrostatic Test Pressure:
2250.0 pounds per square inch
Outer Covering Environmental Protection:

Mildew resistant and oil resistant and oil resistant

NSN 4720-00-374-2221

Nonmetallic Hose Assembly - Page 2 of 2



Inside Surface Condition:
Smooth
Measuring Method And Length:
18.000 inches working
Special Features:
Inner conveying tube material-rubber, chloroprene
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Thread Series Designator:
Unf 1st end
Shelf Life:
N/a
Unit Of Measure:
.
Demilitarization:
No
Fiig:

A542a0