## NSN 4720-00-394-2740

**Cross Sectional Shape:** 

Thread Series Designator: Ptf-spl extra short 1st end

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-394-2740

Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.350 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response
Outside Diameter:
0.615 inches
Minimum Inside Bending Radius:
2.000 inches
Exterior Color:
Clear
Connection Style:
Plain 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded external pipe 1st end
Features Provided:
Reusable end fittings
Burst Test Pressure:
300.0 pounds per square inch
Layer Composition And Location:
Outer layer molded plastic and 1st layer braided cotton cord
Maximum Operating Pressure:
75.0 pounds per square inch
Thread Size:
0.250 inches 1st end
Hydrostatic Test Pressure:
150.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:
15.500 inches
Special Features:
Furnished w/2 hose clamps
Media For Which Designed:
Air and water single response

## NSN 4720-00-394-2740

Nonmetallic Hose Assembly - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0