Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-406-6579

Cross Sectional Shape:	
Round	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.625 inches	
Tempurature Rating:	
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response	
Outside Diameter:	
1.250 inches	
Minimum Inside Bending Radius:	
5.500 inches	
Exterior Color:	
Black	
Connection Style:	
Plain 1st end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded external pipe 1st end	
Burst Test Pressure:	
3500.0 pounds per square inch	
Layer Composition And Location:	
2nd layer braided textile yarn and 1st layer braided textile yarn and outer layer molded rubber, synthetic	netic
Maximum Operating Pressure:	
875.0 pounds per square inch	
Thread Size:	
0.750 inches 1st end	
Hydrostatic Test Pressure:	
1750.0 pounds per square inch	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
24.500 inches	
Media For Which Designed:	
Fuel/oil, hydrocarbon single response	
Thread Series Designator:	
Npt 1st end	
Shelf Life:	
N/a	
Unit Of Measure:	

NSN 4720-00-406-6579

Nonmetallic Hose Assembly - Page 2 of 2

Demilitarization:

No

Fiig:

A542a0

