Nonmetallic Hose Assembly - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/4720-00-407-6411

Cross Sectional Shape: Round **Inside Diameter:** 1.000 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 212.0 degrees fahrenheit single response Flange Thickness: 0.281 inches 1st end **Outside Diameter:** 1.750 inches **Recess Diameter:** 1.000 inches 1st end **Recess Depth:** 0.250 inches 1st end **Minimum Inside Bending Radius:** 14.000 inches **Unable To Decode:** Unable to decode or unable to decode Angle Between Rigid Elbow Fittings In Deg: 180.0 Flange Outside Diameter: 2.000 inches 1st end **Connection Style:** Recessed w/gasket groove 1st end **End Flange Construction:** Solid 1st end **End Connection Design:** Elbow 1st end **End Fitting Component And Material:** Complete fitting steel all ends **Connection Type:** Recessed flange 1st end Second End Relationship With First End: Identical **Burst Test Pressure:** 16000.0 pounds per square inch First End Swivel Action Capability: Not included Layer Composition And Location: Outer layer molded rubber, chloroprene Maximum Operating Pressure: 4000.0 pounds per square inch

Nonmetallic Hose Assembly - Page 2 of 2



Hydrostatic Test Pressure: 8000.0 pounds per square inch Flow Angle: 90.0 degrees 1st end **Outer Covering Environmental Protection:** Abrasion resistant and oil resistant and weatherproof Inside Surface Condition: Smooth Measuring Method And Length: 48.000 inches Flange Style: Round w/ out bolt holes 1st end **Special Features:** Inner conveying tube material-rubber, chloroprene Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A542a0