## NSN 4720-00-408-1243

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-408-1243 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.406 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 250.0 degrees fahrenheit single response **Outside Diameter:** 0.766 inches **Minimum Inside Bending Radius:** 4.620 inches **Exterior Color:** Black **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded internal tube 1st end **Features Provided:** Reusable end fittings Thready Qty Per Inch (tpi): 18 1st end **Burst Test Pressure:** 8000.0 pounds per square inch **Layer Composition And Location:** 2nd layer braided steel wire and 1st layer braided cotton cord and outer layer molded rubber **Maximum Operating Pressure:** 2000.0 pounds per square inch **Thread Size:** 0.625 inches 1st end Seat Angle: 45.0 degrees 1st end **Outer Covering Environmental Protection:** Abrasion resistant **Vacuum In Torr:** 

50.8

**Inside Surface Condition:** 

Smooth

## NSN 4720-00-408-1243

No Fiig: A542a0

Nonmetallic Hose Assembly - Page 2 of 2



Measuring Method And Length:
16.750 inches
Media For Which Designed:
Air and fuel/oil, hydrocarbon and water, fresh single response
Thread Series Designator:
Unf 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization: