NSN 4720-00-410-6252

Cross Sectional Shape:

Thread Direction: Right-hand 1st end

Round

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-410-6252

Inside Diameter:					
1.000 inches					
Tempurature Rating:					
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response					
Outside Diameter:					
1.547 inches					
Minimum Inside Bending Radius:					
12.000 inches					
Connection Style:					
Plain 2nd end					
End Connection Design:					
Straight 2nd end					
Connection Type:					
Threaded external pipe 2nd end					
Features Provided:					
Electrostatic discharge capability					
Thready Qty Per Inch (tpi):					
14 2nd end					
Burst Test Pressure:					
4000.0 pounds per square inch					
Layer Composition And Location:					
Outer layer molded rubber, synthetic and 1st layer braided wire					
Maximum Operating Pressure:					
1000.0 pounds per square inch					
Thread Size:					
1.000 inches 1st end					
Hydrostatic Test Pressure:					
2000.0 pounds per square inch					
Outer Covering Environmental Protection:					
Oil resistant and weatherproof					
Inside Surface Condition:					
Smooth					
Measuring Method And Length:					
14.000 inches					
Media For Which Designed:					
Hydraulic fluid single response					
Thread Series Designator:					
Npt 1st end					

NSN 4720-00-410-6252

Nonmetallic Hose Assembly - Page 2 of 2



_			-		
C	hο	14		.ife	
•			_	.II C	-

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0