## NSN 4720-00-413-3325

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-413-3325

Cross Sectional Shape:
Round

Thread Class:

Right-hand 1st end
Inside Diameter:
0.438 inches

**Thread Direction:** 

3b 1st end

Tempurature Rating:

-65.0 degrees fahrenheit and 250.0 degrees fahrenheit single response

**Outside Diameter:** 

Between 0.629 inches and 0.672 inches

**Minimum Inside Bending Radius:** 

3.500 inches

**End Connection Design:** 

Straight 1st end

**Connection Type:** 

Threaded internal tube 1st end

**Burst Test Pressure:** 

5000.0 pounds per square inch

**Layer Composition And Location:** 

1st layer braided corrosion resistant steel wire and outer layer braided corrosion resistant steel wire, partial coverage

**Maximum Operating Pressure:** 

1000.0 pounds per square inch

**Thread Size:** 

0.750 inches 1st end

Seat Angle:

37.0 degrees 1st end

**Hydrostatic Test Pressure:** 

2500.0 pounds per square inch

**Outer Covering Environmental Protection:** 

Corrosion resistant

Vacuum In Torr:

76.2

**Inside Surface Condition:** 

Smooth

**Measuring Method And Length:** 

20.375 inches working

Media For Which Designed:

Fuel/oil, hydrocarbon single response

**Thread Series Designator:** 

Unjf 1st end

## NSN 4720-00-413-3325

Nonmetallic Hose Assembly - Page 2 of 2



Specification Data	Spe	ecifica	ition	Data:
--------------------	-----	---------	-------	-------

81349-mil-h-83796/1 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0