
Metallic Hose Assembly - Page 1 of 2





Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Tempurature Rating:
-54.0 degrees celsius and 125.0 degrees celsius single response
Outside Diameter:
0.660 inches
Exterior Color:
Natural
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Thready Qty Per Inch (tpi):
16 2nd end
Maximum Operating Pressure:
100.0 pounds per square inch
Thread Size:
0.750 inches 2nd end
Seat Angle:
37.0 degrees 1st end
Hydrostatic Test Pressure:
150.0 pounds per square inch
Flow Angle:
90.0 degrees 2nd end
Outer Covering Environmental Protection:
Corrosion resistant
Measuring Method And Length:
4.800 inches working
Media For Which Designed:
Hydraulic fluid, silicate-ester base single response
Thread Series Designator:
Unf 2nd end
Shelf Life:
N/a
Unit Of Measure:

NSN 4720-00-419-3261

Metallic Hose Assembly - Page 2 of 2

Demilitarization:

Yes - demil/mli

Fiig:

A542a0

