NSN 4720-00-419-4076

Cross Sectional Shape:

48.000 inches working

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-419-4076

Round						
Thread Class:						
3b 1st end						
Thread Direction:						
Right-hand 1st end						
Inside Diameter:						
0.188 inches						
Tempurature Rating:						
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response						
Outside Diameter:						
0.312 inches						
Minimum Inside Bending Radius:						
2.000 inches						
Connection Style:						
Swivel nut flare 2nd end						
End Connection Design:						
Elbow 2nd end						
Connection Type:						
Threaded internal tube 1st end						
Features Provided:						
Reusable end fittings						
Burst Test Pressure:						
12000.0 pounds per square inch						
Layer Composition And Location:						
Outer layer braided corrosion resistant steel wire						
Maximum Operating Pressure:						
1500.0 pounds per square inch						
Thread Size:						
0.438 inches 1st end						
Seat Angle:						
37.0 degrees 2nd end						
Hydrostatic Test Pressure:						
3000.0 pounds per square inch						
Flow Angle:						
90.0 degrees 2nd end						
Vacuum In Torr:						
50.8						
Inside Surface Condition:						
Smooth						
Measuring Method And Length:						

NSN 4720-00-419-4076

Nonmetallic Hose Assembly - Page 2 of 2



	••		•	_		
ı	hre	ลด	Seri	26 I I	PSIU	nator:
•		uu	CCII		COIG	mator.

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0