## NSN 4720-00-435-8056



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-00-435-8056 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.375 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response **Outside Diameter:** 0.750 inches **Minimum Inside Bending Radius:** 

4.000 inches

**Connection Style:** 

Swivel nut flare 1st end

**End Connection Design:** 

Straight 1st end

**End Fitting Component And Material:** 

Complete fitting steel all ends

**Connection Type:** 

Threaded internal tube 1st end

**Second End Relationship With First End:** 

Identical

**Burst Test Pressure:** 

4500.0 pounds per square inch

First End Swivel Action Capability:

Not included

**Layer Composition And Location:** 

2nd layer molded rubber, synthetic

**Maximum Operating Pressure:** 

1125.0 pounds per square inch

**Thread Size:** 

0.562 inches 1st end

Seat Angle:

37.0 degrees 1st end

**Inside Surface Condition:** 

Smooth

**Measuring Method And Length:** 

28.250 inches

**Special Features:** 

Inner conveying tube material-rubber, synthetic

## NSN 4720-00-435-8056

Nonmetallic Hose Assembly - Page 2 of 2



Media For Which Designe	Which Designe	ed
-------------------------	---------------	----

Fuel/oil, hydrocarbon single response

**Thread Series Designator:** 

Unf 1st end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0