

View Online at <https://aerobasegroup.com/nsn/4720-00-448-8482>

**Cross Sectional Shape:**

Round

**Inside Diameter:**

2.000 inches

**Temperature Rating:**

-40.0 degrees fahrenheit and 160.0 degrees fahrenheit single response

**Outside Diameter:**

Between 2.656 inches and 2.781 inches

**Hose Or Tubing Specification/std Data:**

Mil-h-18288 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Features Provided:**

Self-sealing

**Burst Test Pressure:**

150.0 pounds per square inch

**Layer Composition And Location:**

Outer layer molded rubber, chloroprene

**Maximum Operating Pressure:**

45.0 pounds per square inch

**Hydrostatic Test Pressure:**

75.0 pounds per square inch

**Outer Covering Environmental Protection:**

Abrasion resistant and mildew resistant

**Inside Surface Condition:**

Smooth

**Measuring Method And Length:**

22.250 inches

**Special Features:**

Inner conveying tube material-rubber, synthetic; nipples drilled for safety wire

**Media For Which Designed:**

Fuel/oil, hydrocarbon single response

**Specification Data:**

Mil-h-18288 professional/industrial association specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A542a0

**Mil-std (military Standard):**

Mil-h-18288 spec.