NCN 4720-00-451-1029



Nonmetallic Hose Assembly - Page 1 of 2	AGIUDA
View Online at https://aerobasegroup.com/nsn/4720-00-451-1028	
Cross Sectional Shape:	
Round	
Thread Class:	
2b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.250 inches	
Tempurature Rating:	
-100.0 degrees fahrenheit single response and 500.0 degrees fahrenheit single response	
Outside Diameter:	
0.375 inches	
Minimum Inside Bending Radius:	
2.500 inches	
Exterior Color:	
Natural	
Connection Style:	
Swivel nut flare 1st end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded internal tube 1st end	
Burst Test Pressure:	
10000.0 pounds per square inch	
Layer Composition And Location:	
Outer layer braided corrosion resistant steel wire	

Maximum Operating Pressure:

1000.0 pounds per square inch

Thread Size:

0.438 inches 1st end

Seat Angle:

37.0 degrees 1st end

Hydrostatic Test Pressure:

2000.0 pounds per square inch

Outer Covering Environmental Protection:

Corrosion resistant

Inside Surface Condition:

Smooth

Measuring Method And Length:

36.000 inches

Special Features:

Swaged end fittings

NSN 4720-00-451-1028

Nonmetallic Hose Assembly - Page 2 of 2



Thread Series Designat	or:
------------------------	-----

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0