

View Online at <https://aerobasegroup.com/nsn/4720-00-454-7553>

Cross Sectional Shape:

Round

Inside Diameter:

Between 0.735 inches and 0.781 inches

Tempurature Rating:

-40.0 degrees fahrenheit single response and 200.0 degrees fahrenheit single response

Outside Diameter:

Between 1.156 inches and 1.219 inches

Minimum Inside Bending Radius:

9.500 inches

Exterior Color:

Black

Burst Test Pressure:

5000.0 pounds per square inch single response

Layer Composition And Location:

1st layer braided rayon cord and 2nd layer braided rayon cord and 3rd layer braided rayon cord and 4th layer braided rayon cord and 5th layer braided rayon cord and outer layer spirally wrapped rubber fabric

Maximum Operating Pressure:

1250.0 pounds per square inch single response

Hydrostatic Test Pressure:

2500.0 pounds per square inch single response

Outer Covering Environmental Protection:

Oil resistant and weatherproof

Inside Surface Condition:

Smooth

Measuring Method And Length:

9.250 inches

Material:

Rubber synthetic tube

Media For Which Designed:

Hydraulic fluid, water base single response and hydraulic fluid, petroleum base single response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A541z0