

View Online at <https://aerobasegroup.com/nsn/4720-00-459-4014>

Cross Sectional Shape:

Round

Inside Diameter:

Between 1.984 inches and 2.062 inches

Temperature Rating:

40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response

Outside Diameter:

Between 2.563 inches and 2.687 inches

Minimum Inside Bending Radius:

12.000 inches

Angle Between Rigid Elbow Fittings In Deg:

180.0

Quick Disconnect Size:

3.000 inches 1st end

Connection Style:

Cam or lever (internal) 2nd end

End Connection Design:

Elbow 2nd end

Connection Type:

Internal quick disconnect 2nd end

Burst Test Pressure:

1750.0 pounds per square inch

Layer Composition And Location:

2nd layer braided corrosion resistant steel wire and 1st layer braided fabric and outer layer molded rubber, synthetic

Maximum Operating Pressure:

350.0 pounds per square inch

Flow Angle:

90.0 degrees 2nd end

Inside Surface Condition:

Smooth

Measuring Method And Length:

62.000 inches excluding end fittings

Media For Which Designed:

Ethylene glycol and water single response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A542a0