NSN 4720-00-460-2197

Cross Sectional Shape:

Round

Thread Class: 3b 1st end

Thread Direction:
Right-hand 1st end
Inside Diameter:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-460-2197

0.298 inches					
Tempurature Rating:					
-65.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response					
Outside Diameter:					
0.565 inches					
Minimum Inside Bending Radius:					
5.000 inches					
Connection Style:					
Swivel nut, flareless 1st end					
End Connection Design:					
Straight 1st end					
Connection Type:					
Threaded internal tube 1st end					
Features Provided:					
Electrostatic discharge capability					
Burst Test Pressure:					
14000.0 pounds per square inch					
Layer Composition And Location:					
Outer layer braided corrosion resistant steel wire					
Maximum Operating Pressure:					
3000.0 pounds per square inch					
Thread Size:					
0.562 inches 1st end					
Seat Angle:					
12.0 degrees 1st end					
Hydrostatic Test Pressure:					
6000.0 pounds per square inch					
Outer Covering Environmental Protection:					
Corrosion resistant					
Inside Surface Condition:					
Smooth					
Measuring Method And Length:					
11.500 inches working					
Thread Series Designator:					
Unjf 1st end					

NSN 4720-00-460-2197

Nonmetallic Hose Assembly - Page 2 of 2



Sı	pe	cifi	cati	on	Data:
•	\sim	•••	outi	•••	Dutu.

81343-as621 government standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0