

NSN 4720-00-460-2406 Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-00-460-2406 **Cross Sectional Shape:** Round **Thread Class:** 

3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.298 inches **Tempurature Rating:** -65.0 degrees fahrenheit single response and 275.0 degrees fahrenheit single response **Outside Diameter:** 0.469 inches **Minimum Inside Bending Radius:** 4.000 inches **Exterior Color:** Natural **Connection Style:** Swivel nut flare 1st end

**End Connection Design:** 

Straight 1st end **Connection Type:** 

Threaded internal tube 1st end

**Burst Test Pressure:** 

10000.0 pounds per square inch

**Layer Composition And Location:** 

Outer layer braided corrosion resistant steel wire

**Maximum Operating Pressure:** 

1500.0 pounds per square inch

**Thread Size:** 

0.562 inches 1st end

Seat Angle:

37.0 degrees 1st end

**Hydrostatic Test Pressure:** 

3000.0 pounds per square inch

**Outer Covering Environmental Protection:** 

Corrosion resistant

**Vacuum In Torr:** 

50.8

**Inside Surface Condition:** 

Smooth

**Measuring Method And Length:** 

23.125 inches working

## NSN 4720-00-460-2406

Nonmetallic Hose Assembly - Page 2 of 2



Special Features:
Nuts drilled for safety wire, permanently attached fittings

Thread Series Designator:

Unf 1st end

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A542a0