NSN 4720-00-460-6401

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-460-6401

Cross Sectional Shape:
Round
Thread Class:
2b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.125 inches
Tempurature Rating:
-65.0 degrees fahrenheit and 80.0 degrees fahrenheit single response
Outside Diameter:
0.438 inches
Exterior Color:
Black
Hose Or Tubing Specification/std Data:
Sae j1401-81343 standard (includes industry or association standards, individual manufactureer standards, etc.).
Connection Style:
Inverted flare 2nd end
End Connection Design:
Straight 2nd end
End Fitting Component And Material:
Complete fitting steel all ends
Connection Type:
Threaded internal tube 1st end
Thready Qty Per Inch (tpi):
20 2nd end
Second End Relationship With First End:
Not identical
Burst Test Pressure:
5000.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
Outer layer molded rubber, synthetic
Maximum Operating Pressure:
2500.0 pounds per square inch
Thread Size:
0.625 inches 2nd end
Seat Angle:
37.0 degrees 2nd end

Outer Covering Environmental Protection: Hydraulic solution resistant and oil resistant

NSN 4720-00-460-6401Nonmetallic Hose Assembly - Page 2 of 2



nside Surface Condition:
Smooth
Measuring Method And Length:
21.500 inches
Second End Swivel Action Capability:
Not included
Special Features:
nner conveying tube material-rubber, synthetic
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Γhread Series Designator:
Jnf 1st end
Specification Data:
Sae j1401-81343 national std/spec
Shelf Life:
N/a
Jnit Of Measure:
-
Demilitarization:
No
Fiig:
A542a0