NSN 4720-00-467-3206



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-00-467-3206 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.875 inches **Tempurature Rating:** -65.0 degrees fahrenheit and 450.0 degrees fahrenheit single response **Outside Diameter:** 1.109 inches **Minimum Inside Bending Radius:** 7.380 inches **Exterior Color:** Natural **Connection Style:** Swivel nut with loose or integral clinch sleeve 2nd end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Features Provided:** Reusable end fittings Thready Qty Per Inch (tpi): 12 2nd end **Burst Test Pressure:** 5000.0 pounds per square inch **Layer Composition And Location:** Outer layer braided corrosion resistant steel wire **Maximum Operating Pressure:** 1250.0 pounds per square inch **Thread Size:** 1.312 inches 2nd end Seat Angle: 12.0 degrees 2nd end

Hydrostatic Test Pressure: 2500.0 pounds per square inch Flow Angle: 90.0 degrees 2nd end

Inside Surface Condition:

Smooth

NSN 4720-00-467-3206

Nonmetallic Hose Assembly - Page 2 of 2



Measuring Method And Length:
16.500 inches
Thread Series Designator:
Un 2nd end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

Fiig:

A542a0