NSN 4720-00-469-0973

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-469-0973

Cross Sectional Shape:
Round
Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.375 inches
Tempurature Rating:
160.0 degrees fahrenheit and 200.0 degrees fahrenheit single response
Outside Diameter:
0.625 inches
Hose Or Tubing Specification/std Data:
Mil mil-h-0015100/ships/amend 1, class 3 specification (includes engineering type bulletins, brochures, etc., that reflect specification type
data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data
on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
First End Fitting Specification/std Data:
Mil mil-b-994 composition c specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in
specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on
certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
End Connection Design:
Straight 1st end
End Fitting Component And Material:
Complete fitting copper alloy all ends
Connection Type:
Threaded external tube 1st end
Thready Qty Per Inch (tpi):
12 1st end
Second End Relationship With First End:
Identical
Burst Test Pressure:
4200.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
1st layer sheet rubber
Maximum Operating Pressure:
750.0 pounds per square inch

Oil resistant

Thread Size:

Seat Angle:

0.875 inches 1st end

45.0 degrees 1st end

Incide Surface Condition:

Outer Covering Environmental Protection:

NSN 4720-00-469-0973

Nonmetallic Hose Assembly - Page 2 of 2



Measuring Method And Length:

10.000 inches and 10.250 inches

Special Features:

Inner conveying tube material-rubber, synthetic

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Thread Series Designator:

Uns 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0