NSN 4720-00-484-8420

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-484-8420

Cross Sectional Shape:
Round
Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.875 inches
Tempurature Rating:
-65.0 degrees fahrenheit and 450.0 degrees fahrenheit single response
Flange Thickness:
0.297 inches 2nd end
Outside Diameter:
1.109 inches
Minimum Inside Bending Radius:
7.375 inches
Exterior Color:
Natural
Flange Outside Diameter:
2.312 inches 2nd end
Connection Style:
Raised 2nd end
Raised Face Height:
0.136 inches 2nd end
Raised Face Diameter:
1.855 inches 2nd end
End Flange Construction:
Solid 2nd end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded external tube 1st end
Burst Test Pressure:
5000.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire and 1st layer braided corrosion resistant steel wire
Maximum Operating Pressure:
1250.0 pounds per square inch
Thread Size:
1.312 inches 1st end
Seat Angle:
37.0 degrees 1st end

NSN 4720-00-484-8420

Nonmetallic Hose Assembly - Page 2 of 2



Hydrostatic Test Pressure:
2500.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:
22.250 inches working
Flange Style:
Round w/ out bolt holes 2nd end
Thread Series Designator:
Unf 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A542a0