## NSN 4720-00-508-6006

**Cross Sectional Shape:** 

Round

Thread Class: 3b 1st end

Thread Direction:
Right-hand 1st end
Inside Diameter:
0.375 inches

**Outside Diameter:** 

Metallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-508-6006

0.445 inches						
Minimum Inside Bending Radius:						
3.000 inches						
Inner Conveying Tube Style:						
Annular close-pitch corrugated						
Connection Style:						
Swivel nut flare 2nd end						
End Connection Design:						
Straight 1st end						
Connection Type:						
Threaded internal tube 1st end						
Thready Qty Per Inch (tpi):						
18 1st end						
Layer Composition And Location:						
Outer layer braided corrosion resistant steel wire						
Thread Size:						
0.562 inches 2nd end						
Seat Angle:						
37.0 degrees 2nd end						
Hydrostatic Test Pressure:						
300.0 pounds per square inch						
Flow Angle:						
30.0 degrees 2nd end						
Outer Covering Environmental Protection:						
Corrosion resistant						
Measuring Method And Length:						
17.500 inches working and 17.750 inches working						
Media For Which Designed:						
Fuel/oil, hydrocarbon single response						
Thread Series Designator:						
Unf 2nd end						
Shelf Life:						
N/a						

## NSN 4720-00-508-6006

Metallic Hose Assembly - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A542a0