NSN 4720-00-513-7888

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-513-7888

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.750 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response
Outside Diameter:
1.020 inches
Minimum Inside Bending Radius:
4.000 inches
Exterior Color:
Black
Connection Style:
Swivel nut, gasket seal 1st end
End Connection Design:
Straight 1st end
End Fitting Component And Material:
Complete fitting copper alloy all ends
Connection Type:
Threaded internal hose 1st end
Features Provided:
Reusable end fittings
Thready Qty Per Inch (tpi):
11-1/2 1st end
Second End Relationship With First End:
Identical
Burst Test Pressure:
700.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
2nd layer braided fabric
Maximum Operating Pressure:
175.0 pounds per square inch
Thread Size:
0.750 inches 1st end
Hydrostatic Test Pressure:
350.0 pounds per square inch
Inside Surface Condition:

Smooth

NSN 4720-00-513-7888

Nonmetallic Hose Assembly - Page 2 of 2



Measuring Method And Length:
124.500 inches
Special Features:
Inner conveying tube material-rubber, synthetic
Media For Which Designed:
Water single response
Thread Series Designator:
Nh 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A542a0