NSN 4720-00-542-4668

Nonmetallic Hose - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-00-542-4668

Cross Sectional Shape:
Round
Inside Diameter:
Between 0.296 inches and 0.328 inches
Tempurature Rating:
-67.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response
Outside Diameter:
Between 0.531 inches and 0.593 inches
Minimum Inside Bending Radius:
2.750 inches
Burst Test Pressure:
1100.0 pounds per square inch single response
Maximum Operating Pressure:
275.0 pounds per square inch single response
Hydrostatic Test Pressure:
550.0 pounds per square inch single response
Outer Covering Environmental Protection:
Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof
Vacuum In Torr:
254.0
Inside Surface Condition:
Smooth
Special Markings:
Continuous yellow stripe on outer cover w/capitol letters oz legibly marked on or broken into stripe atintervals of not more thantwelve in.
Along the hose
Material:
Rubber chloroprene class cr tube
Specification Data:
81349-mil-h-13444 government specification
Specification Or Standard:
1 type
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A541z0
Mil-std (military Standard):
Mill b 40444 appea

Mil-h-13444 spec.