NSN 4720-00-542-4668

Nonmetallic Hose - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-00-542-4668

Cross Sectional Shape:

Round

Inside Diameter:

Between 0.296 inches and 0.328 inches

Tempurature Rating:

-67.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response

Outside Diameter:

Between 0.531 inches and 0.593 inches

Minimum Inside Bending Radius:

2.750 inches

Burst Test Pressure:

1100.0 pounds per square inch single response

Maximum Operating Pressure:

275.0 pounds per square inch single response

Hydrostatic Test Pressure:

550.0 pounds per square inch single response

Outer Covering Environmental Protection:

Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof

Vacuum In Torr:

254.0

Inside Surface Condition:

Smooth

Special Markings:

Continuous yellow stripe on outer cover w/capitol letters oz legibly marked on or broken into stripe atintervals of not more thantwelve in.

Along the hose

Material:

Rubber chloroprene class cr tube

Specification Data:

81349-mil-h-13444 government specification

Specification Or Standard:

1 type

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A541z0

Mil-std (military Standard):

Mil-h-13444 spec.