

View Online at <https://aerobasegroup.com/nsn/4720-00-555-1480>

Cross Sectional Shape:

Round

Thread Class:

3b 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

0.375 inches

Flange Thickness:

0.140 inches and 0.160 inches 2nd end

Outside Diameter:

0.703 inches

Minimum Inside Bending Radius:

6.000 inches

Inner Conveying Tube Style:

Helical close-pitch corrugated

Angle Between Rigid Elbow Fittings In Deg:

75.8

Center To Center Distance Between Bolt Holes Along Width:

1.000 inches 2nd end

Center To Center Distance Between Bolt Holes Along Length:

1.000 inches 2nd end

Bolt Hole Quantity:

4 2nd end

Flange Length:

1.420 inches and 1.460 inches 2nd end

Flange Width:

1.420 inches and 1.460 inches 2nd end

Connection Style:

Plain 2nd end

Bolt Hole Diameter:

0.250 inches 2nd end

End Flange Construction:

Solid 1st end

End Connection Design:

Elbow 2nd end

Connection Type:

Threaded internal tube 1st end

Thready Qty Per Inch (tpi):

18 1st end

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

Thread Size:

0.562 inches 1st end

Hydrostatic Test Pressure:

600.0 pounds per square inch

Flow Angle:

90.0 degrees 1st end

Measuring Method And Length:

4.600 inches working

Flange Style:

Rectangular (includes square) 2nd end

Thread Series Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0