NSN 4720-00-562-5895

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-562-5895 **Cross Sectional Shape:** Round **Thread Class:** 1a 2nd end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.187 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 250.0 degrees fahrenheit single response **Outside Diameter:** 0.375 inches **Connection Style:** Swivel nut, inverted flare 2nd end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded external tube 2nd end Thready Qty Per Inch (tpi): 24 2nd end **Burst Test Pressure:** 1200.0 pounds per square inch **Layer Composition And Location:** 1st layer rubber impregnated fabric and 2nd layer braided rayon cord and outer layer molded rubber, chloroprene **Maximum Operating Pressure:** 300.0 pounds per square inch **Thread Size:** 0.438 inches 2nd end Seat Angle: 45.0 degrees 2nd end **Inside Surface Condition:** Smooth **Measuring Method And Length:** 12.000 inches **Thread Series Designator:** Uns 2nd end Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 4720-00-562-5895

Nonmetallic Hose Assembly - Page 2 of 2



Fiig:

A542a0